



The Dutch Accreditation Council RvA, by law appointed as the national accreditation body for The Netherlands, hereby declares that accreditation has been granted to:

SKG-IKOB Certificatie B.V. Geldermalsen The Netherlands

The organisation has demonstrated to be able to generate technical valid results in a competent way and work according to a management system.

This accreditation is based on an assessment against the requirements as laid down in EN ISO/IEC 17025:2017.

The accreditation covers the activities as specified in the authorized annex bearing the registration number.

The accreditation is valid provided that the organisation continues to meet the requirements.

The accreditation with registration number:

L 406

is granted on 28 May 2008

This declaration is valid until

1 December 2029

The board of the Dutch Accreditation Council,
on its behalf,


mr. J.A.W.M. de Haas

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026** to **01-12-2029**

Replaces annex dated: **25-09-2025**

Location(s) where activities are performed under accreditation

Head Office

Poppenbouwing 56
4191 NZ
Geldermalsen
The Netherlands

| Location | Abbreviation/ location code |
|--|-----------------------------|
| Poppenbouwing 56 4191 NZ Geldermalsen The Netherlands | G |
| Mobile lab | MoLo |
| On customer's location | OpLo |
| CPR article 46: Use of facilities outside the testing laboratory of the notified body | * |

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|---|--|----------|
| 1 | Roof or façade elements with doors, windows, hatches and solid fillings. Curtain walls & grilles | Determination of burglar resistance of façade elements. Static, dynamic and manual attack tests | WI D3-H5-6-004 NEN 5096 EN 1627, EN 1628, EN 1629, EN 1630 | G, OpLo |
| 2 | Door and window hardware | Determination of the corrosion resistance; salt spray test | WI D3-H5-8-019 EN 1670, ISO 9227 | G, OpLo |

This annex has been approved by the Board of the
Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

¹ If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010-list](#).
If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|--|----------------|
| 3 | Door and window hardware | Determination of the mechanical characteristics, durability, corrosion resistance of hinges | WI D3-H5-8-29/30/31 EN 1935 | G, OpLo |
| 4 | | Determination of the dimensions, mechanical characteristics, durability and corrosion resistance of panic exit devices | WI D3-H5-8-29/30/36 EN 1125 | G, OpLo |
| 5 | | Determination of the dimensions, mechanical characteristics, durability and corrosion resistance of emergency exit devices | WI D3-H5-8-29/30/35 EN 179 | G, OpLo |
| 6 | | Determination of the mechanical characteristics, durability and corrosion resistance of locks | WI D3-H5-8-29/30/32 EN 12209 | G, OpLo |
| 7 | Automatically operating doors for pedestrians | Determination of air permeability. Pressurized chamber test | WI D3-H5-0-021 EN 16361 par 4.10, EN 1026 | G, MoLo, OpLo |
| 8 | | Determination of watertightness. Pressurized chamber test | WI D3-H5-0-021 EN 16361 par 4.7, EN 1027 | G, MoLo, OpLo |
| 9 | | Determination of resistance to wind load. Pressurized chamber test | WI D3-H5-0-021 EN 16361 par 4.8, EN 12211 | G, MoLo, OpLo |
| 10 | | Determination of resistance to impact load. Pendulum test | WI D3-H5-0-050 EN 13049 | G, MoLo, OpLo |
| 11 | | Determination of height | EN 16361 par 4.4 | G, OpLo |
| 12 | Industrial and commercial garage doors and gates | Determination of air permeability. Pressurized chamber test | WI D3-H5-0-021 EN 12427 | G, MoLo, OpLo* |
| 13 | | Determination of watertightness. Pressurized chamber test | WI D3-H5-0-021 EN 12489 | G, MoLo, OpLo* |
| 14 | | Determination of resistance to wind load. Pressurized chamber test | WI D3-H5-0-021 EN 12444 | G, MoLo, OpLo* |
| 15 | | Safe opening, determination of safety risks. Visual inspection and functional tests | WI D3-H5-8-041 EN 13241 sec. 4.2.8, EN 12605 sec 5.1.2, sec 5.3.2, sec 5.4.2 and sec 5.4.3. | G, OpLo* |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|---|---|----------------|
| 16 | Industrial and commercial garage doors and gates | Determination of dynamic forces of powered doors | WI D3-H5-8-037 EN 13241 sec 4.3.3, EN 12445:2000 sec 4.1.1.4, sec 5, sec 7.3 | G, OpLo* |
| 17 | | Service life of watertightness, thermal resistance and airtightness. Cyclic durability test, functional test and visual inspection | WI D3-H5-8-043 EN 12605:2000, sec 5.2. | G, MoLo, OpLo* |
| 18 | Windows and doors | Determination of air permeability. Pressurized chamber test | WI D3-H5-0-021 EN 1026, Annex I of EN 14351-1. Classification EN 12207 | G, MoLo, OpLo* |
| 19 | | Determination of watertightness. Pressurized chamber test. | WI D3-H5-0-021 EN 1027 Classification EN 12208 | G, MoLo, OpLo* |
| 20 | | Determination of resistance to wind load. Pressurized chamber test | WI D3-H5-0-021 EN 12211 Classification EN 12210 | G, MoLo, OpLo* |
| 21 | | Determination of Load-bearing capacity of safety devices. Mechanical test | WI D3-H5-8-040 EN 14351-1 sec 4.8, EN 14609 | G, MoLo, OpLo* |
| 22 | | Determination of resistance to impact load. Pendulum test | WI D3-H5-0-050 EN 13049 | G, MoLo, OpLo* |
| 23 | Products for thermal insulation of buildings – Factory-produced products of expanded polystyrene (EPS) - Specification | Determination of thermal resistance | MV09.01 EN 12667 or EN 12939 EN 13163 annex A, EN 823 | G |
| 24 | | Determination of compression strength, tensile strength and bending strength | MV09.03 EN 826, EN 1605, EN 12089, EN1607 | G |
| 25 | | Determination of service life of compression strength | MV09.03 EN 1606, EN 12091, EN 826, sec 4.3.15.4 of EN13163 | G |
| 26 | | Determination of water absorption on immersion | MV03.01 EN 12087 method 2A | G |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|--|-------------------|
| 27 | Materials for the thermal insulation of buildings – Products formed in-situ from sprayed hard polyurethane (PUR) and polyisocyanurate (PIR) foam - Part 1: Specification for the sprayed hard foam system before installation | Determination of thermal resistance | MV09.01 EN 14315-1 sec 4.2.2, 5.3.2, annex A & EN 12667, EN 12939C | G |
| 28 | | Determination of compression strength | MV09.03 EN 14315-1 sec 4.3.4, EN 826, EN 1605:2013 | G |
| 29 | | Determination of water absorption on immersion | MV03.01 EN 14315-1 sec 4.3.3 EN 1609 method B | G |
| 30 | | Determination of water vapour transmission properties | MV03.05 EN 14315-1 sec 4.3.2, EN 12086 method A | G |
| 31 | | Determination of thermal resistance | MV09.01 EN 14318-1 sec 4.2.2, 5.3.2 EN 14318-1 annex A & C, EN 12667, EN 12939 | G |
| 32 | | Determination of water vapour transmission properties | MV03.05 EN 14318-1 sec 4.2.5 EN 12086, method A | G |
| 33 | | Determination of water absorption on immersion | MV03.01 EN 14318-1 sec 4.2.4 EN 14064-1 sec 4.3.3 EN 1609, method A and B | G |
| 34 | Curtain walls | Determination of resistance to impact load. Pendulum test | WI D3-H5-0-050 EN 12600, EN 14019 | G, MoLo, OpLo* |
| 35 | | Determination of air permeability. Pressurized chamber test | WI D3-H5-0-021 EN 12153 Classification EN 12152 | G, MoLo, OpLo* |
| 36 | | Determination of watertightness. Pressurized chamber test | WI D3-H5-0-021 EN 12155 Classification EN 12154 | G, MoLo, OpLo* |
| 37 | | Determination of resistance to wind load. Pressurized chamber test | WI D3-H5-0-021 EN 12179 Classification EN 13116 | G, MoLo, OpLo* |

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|---|---------------------|
| 38 | Anchors, tension rods, climbing irons, brackets, corner anchors, horizontal joint reinforcement | Determination of compression strength | MV12.02 EN 846-5, EN 846-6 | G, OpLo* |
| 39 | | Determination of tensile strength | MV12.02 EN 846-5, EN 846-6 | G, OpLo* |
| 40 | | Determination of buckling or bending strength | MV12.02 EN 846-5, EN 846-6 | G, OpLo* |
| 41 | | Determination of displacement under load | MV12.03 EN 846-10 | G, OpLo* |
| 42 | | Determination of load bearing capacity | MV12.03 EN 846-10 | G, OpLo* |
| 43 | | Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (couplet test) | MV12.02 EN 846-5 | G, OpLo* |
| 44 | | Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (single end test) | MV12.02 EN 846-6 | G, OpLo* |
| 45 | | Lintels | Determination of load bearing capacity | MV12.01 EN 846-9 |
| 46 | Determination of bending strength | | MV12.01 EN 846-9 | G, OpLo* |
| 47 | Joist hangers | Determination of load capacity and load-deflection characteristics of joist hangers | MV12.04 EN 846-8 | G, OpLo* |
| 48 | Roof windows | Determination of watertightness. Pressurized chamber test | WI-D3-H5-0-021 EN 1027 Classification EN 12208 | G, MoLo, OpLo* |
| 49 | Roof dome lights | Determination of watertightness. Pressurized chamber test | WI-D3-H5-0-021 EN 1873 | G, MoLo, OpLo* |
| 50 | Continuous roof lights | Determination of watertightness. Pressurized chamber test | WI-D3-H5-0-021 EN 1873, EN 14963 sec 5.3 en 6.3 | G, MoLo, OpLo* |
| 51 | Roof windows | Determination of air permeability. Pressurized chamber test | WI-D3-H5-0-021 EN 1026, Annex I of EN 14351-1 Classification EN 12207 | G, MoLo, OpLo* |

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---------------------------|---|--|-------------------|
| 52 | Roof windows | Determination of resistance to wind load. Pressurized chamber test | WI-D3-H5-0-021 EN 12211 Classification EN 12210 | G, MoLo, OpLo* |
| 53 | | Determination of Load-bearing capacity of safety devices. Mechanical test | WI D3-H5-8-040 EN 14351-1 sec 4.8, EN 14609 | G, MoLo, OpLo* |
| 54 | | Determination of resistance to impact load. Pendulum test | WI D3-H5-0-050 EN 13049 | G, MoLo, OpLo* |
| 55 | Roof dome lights | Mechanical resistance: determination of change under load. Pressurized chamber test. Visual assessment. | WI-D3-H5-0-021 EN 1873 sec 5.4 and 6.4 | G, MoLo, OpLo* |
| 56 | | Determination of resistance to impact load | WI D3-H5-0-050 EN 1873 | G, MoLo, OpLo* |
| 57 | | Determination of air permeability. Pressurized chamber test | WI-D3-H5-0-021 EN 12153 Classification EN 12152 | G, MoLo, OpLo* |
| 58 | Continuous roof lights | Mechanical resistance: determination of change under load. Pressurized chamber test. Visual assessment | WI-D3-H5-0-021 EN 14963 sec 5.4 and 6.4 EN 1994-1-1 EN 1873 sec 5.4 and 6.4 | G, MoLo, OpLo* |
| 59 | | Determination of resistance to impact load | WI D3-H5-0-050 EN 14963 sec 5.4 and 6.4, EN 1873 | G, MoLo, OpLo* |
| 60 | | Determination of air permeability. Pressurized chamber test | WI-D3-H5-0-021 EN 1026, EN 12153 | G, MoLo, OpLo* |
| 61 | Cementitious adhesives | Determination of (service life of) adhesion strength (under influence of aging by water/moisture; climate/heat; freeze/thaw cycle) | MV17.04 EN 1348 | G |
| 62 | Dispersion adhesives | Determination of (service life of) shear adhesion strength (under influence of aging by climate/heat; water/moisture) | WI D3-H5-5-702 EN 1324 | G |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|--|----------|
| 63 | Flat and profiled glass | Hard body drop test | WI-D3-H5-8-021 EN 356 | G, OpLo* |
| 64 | Doors, shutters, openable windows and hatches | Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware Part 3: Smoke control tests for door and shutter assemblies | EN1634-3 | G, MoLo |
| 65 | Door and window hardware and locks: enclosures for electrical equipment with a rated voltage not exceeding 72,5 kV | Determination of enclosures protection; spray test | WI D3-H5-8-048 IEC 60529:1989/A2:2013/C1:2019 | G |
| 66 | Controlled door closing devices | Determination of the mechanical characteristics, durability and corrosion resistance of controlled door closing devices | WI-D3-H5-8-039 EN 1154 | G,OpLo |
| 67 | Electrically powered hold-open devices for swing doors | Determination of the mechanical characteristics, durability and corrosion resistance of electrically powered hold-open devices for swing doors | WI-D3-H5-8-038 EN 1155 | G,OpLo |
| 68 | Padlocks and padlock fittings | Determination of the mechanical characteristics, durability and corrosion resistance of padlocks and padlock fittings | WI-D3-H5-6-007 EN 12320 | G,OpLo |
| 69 | Mechantronic padlocks | Determination of the mechanical characteristics, durability, electrostatic discharge, magnetic fields and corrosion resistance of padlocks and padlock fittings | WI-D3-H5-6-006 EN 16864 | G,OpLo |
| 70 | Lever handles and knob furniture | Determination of the mechanical characteristics, durability and corrosion resistance of lever handles and knob furniture | WI-D3-H5-8-033 EN 1906 | G,OpLo |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|---|----------|
| 71 | Cylinders for locks | Determination of the mechanical characteristics, durability and corrosion resistance of cylinders for locks | WI-D3-H5-8-034 EN 1303 | G,OpLo |
| 72 | Mechatronic cylinders | Determination of the mechanical characteristics, durability, electrostatic discharge, magnetic fields and corrosion resistance of mechatronic cylinders | WI-D3-H5-6-009 EN 15684 | G,OpLo |
| 73 | Mechatronic door furniture | Determination of the mechanical characteristics, durability, electrostatic discharge, magnetic fields and corrosion resistance of mechatronic door furniture | WI-D3-H5-6-010 EN 16867 | G,OpLo |
| 74 | Calcium silicate masonry units and autoclaved aerated concrete | Determination of compressive strength; Compression test | MV01.01, D3-H5-6-0201 NEN-EN 679 NEN-EN 772-1 | G |

**European Construction Products Regulation 305/2011,
 System 3 Verification of Constancy of Performance**

*The accreditation for the activities below is suitable for notification.
 The notification is limited to the test activities above.*

Product area 2

| | |
|--|----------------------------|
| Decree: 99/93/EC | EN 13241-1:2003+A1:2011(*) |
| DOORS, WINDOWS, SHUTTERS, BLINDS, GATES AND CORRESPONDING HARDWARE (1/1) | EN 13241:2003+A2:2016(*) |
| Industrial and commercial garage doors and gates – Product standard - Part 1 – Products without fire or smoke resistance properties | |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----------------------|--|---|---------------------------|----------|
| | Windows and doors – Product standard, performance requirements - Part 1: Windows and doors without fire or smoke resistance properties | EN 14351-1:2006+A2:2016(*) EN 14351-1:2006+A1:2010(*) | | |
| | Window and door hardware – single-axis hinges – Requirements and test methods | EN 1935:2002(*) EN 1935:2002/AC:2003(*) | | |
| | Window and door hardware – Locks and latches – Mechanically operated locks, latches and locking plates – Requirements and test methods | EN 12209:2003(*) EN 12209:2003/AC:2005(*) | | |
| | Window and door hardware – Locks and latches - Electromechanically operated locks and striking plates - Requirements and test methods | EN 14846:2008(*) | | |
| Product area 4 | | | | |
| | Decree: 99/91/EC HEAT INSULATION PRODUCTS (1/2) (products manufactured in the factory and products that are intended for formation on location) All intended uses | EN 13163:2012+A1:2015 EN 14315-1:2013 EN 14318-1:2013 | | |
| | Decree: 99/91/EC HEAT INSULATION PRODUCTS (2/2) | EN 14064-1:2010 | | |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|------------------------|--|--|---------------------------|----------|
| Product area 9 | | | | |
| | Decree: 96/580/EC CURTAIN WALLS (1/1) | EN 13830:2003(*) | | |
| Product area 17 | | | | |
| | Decree: 97/740/EC MASONRY AND RELATED PRODUCTS (2/3) in walls and partitions | EN 845-1:2013+A1:2016(*) EN 845-2:2013+A1:2016(*) | | |
| Product area 22 | | | | |
| | Decree: 98/436/EC ROOF COVERINGS, SKYLIGHTS, ROOF WINDOWS AND ACCESSORIES (2/6, 3/6 en 6/6) | | | |
| | Windows and doors – Product standard, performance requirements - Part 1: Windows and outside doors: skylights | EN 14351-1:2006+A2:2016(*) | | |
| | Roof coverings – Continuous roof lights of plastics with or without upstands - Classification, requirements and test methods | EN 14963:2006(*) | | |
| | Accessories for roofs – Plastic roof dome lights with upstands – Product specification and test methods | EN 1873:2005(*) | | |

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|------------------------|--|--|---------------------------|----------|
| Product area 25 | | | | |
| | Decree: 99/470/EC BUILDING ADHESIVES (1/2) Adhesives for tiles Internal and external use in buildings and other civil engineering works | EN 12004:2007+A1:2012 | | |
| Product area 30 | | | | |
| | Decree: 2000/245/EC FLAT GLASS, PROFILED GLASS AND GLASS BLOCKS (4/6) For other uses that may involve "safety in use" risks and may be subject to relevant regulations Glass for buildings – Thermally toughened alkaline earth silicate safety glass - Part 2: Conformity evaluation/Product standard | EN 572-9:2004(*) EN 1036-2:2008(*) EN 1096-4:2004(*) EN 1279-5:2005+A2:2010(*) EN 1748-1-2:2004(*) EN 1748-2-2:2004(*) EN 1863-2:2004(*) EN 12150-2:2004(*) EN 12337-2:2004(*) EN 13024-2:2004(*) EN 14178-2:2004(*) EN 14179-2:2005(*) EN 14449:2005(*) EN 14449:2005/AC:2005(*) EN 14321-2:2005(*) | | |

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**
Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|--|---------------------|-------------------------------|---------------------------|----------|
| European Construction Products Regulation 305/2011, System 3 Verification of constancy of performance | | | | |
| <i>The accreditation for the activities below is suitable for notification The notification is limited to the applicable test activities mentioned above</i> | | | | |
| Horizontal notification (CPR Annex V.3) | | | | |
| Construction products | Resistance to fire | EN 1634-3 | G, MoLo | |

* Use of equipment and facilities outside the test laboratory of the accredited organisation.